

# model 210X pricing

<b>24" x 67"</b>	<b>Normal Temp • Energy Free Cooler Door</b> \$1,595	<b>Low Temp Freezer Door</b> \$2,176
<b>24" x 75"</b>	<b>Normal Temp • Energy Free Cooler Door</b> \$1,799	<b>Low Temp Freezer Door</b> \$2,285
<b>26" x 67"</b>	<b>Normal Temp • Energy Free Cooler Door</b> \$1,856	<b>Low Temp Freezer Door</b> \$2,413
<b>26" x 75"</b>	<b>Normal Temp • Energy Free Cooler Door</b> \$1,861	<b>Low Temp Freezer Door</b> \$2,546
<b>28" x 75"</b>	<b>Normal Temp • Energy Free Cooler Door</b> \$1,949	<b>Low Temp Freezer Door</b> \$2,571
<b>28" x 79"</b>	<b>Normal Temp • Energy Free Cooler Door</b> \$2,053	<b>Low Temp Freezer Door</b> \$2,704
<b>30" x 67"</b>	<b>Normal Temp • Energy Free Cooler Door</b> \$1,841	<b>Low Temp Freezer Door</b> \$2,462
<b>30" x 75"</b>	<b>Normal Temp • Energy Free Cooler Door</b> \$1,993	<b>Low Temp Freezer Door</b> \$2,587
<b>30" x 79"</b>	<b>Normal Temp • Energy Free Cooler Door</b> \$2,053	<b>Low Temp Freezer Door</b> \$2,704



Prices are per door opening. Multiply prices times number of door openings desired. Prices pertain to complete assembly orders only and include; tempered safety glass, perimeter frame heaters, five 27" deep black or white epoxy coated shelves per door, with price tag molding, posts & brackets, and standard pre-wired 800ma(NT) & 1500 ma(LT) light fixtures. Please note, the 79" doors come with seven shelves per door. \*All prices are subject to change without notice.

## **Add-On and Deduct Items**

### **Deductible Options**

Shelves		\$ 41.00 per shelf
Light Fixtures	Normal Temp	\$ 72.00 per light
Light Fixtures	Low Temp	\$ 131.00 per light

### **Add-On Options**

Cylinder Lock		\$ 67.00 per lock
Door Lock	POM only	\$ 47.00 per lock
Full Length Handle		no charge
Extra Shelves		\$ 41.00 per shelf
Upgrade to 36" Deep Shelves		\$ 48.00 per shelf
Custom Depth Shelves		call factory
Electronic Lighting System (ELS)	Normal Temp	\$ 159.00 per door
Electronic Lighting System (ELS)	Low Temp	\$ 93.00 per door

### **Model 210X Finishes**

Standard Border Colors are Black, White, Red, Grey, Yellow, Blue, or Green. Frames are available in Black or Satin Silver Anodized. Black shelves and posts are available without an upcharge.

*\*All prices are subject to change without notice.*

**Ask about our...**

## **Gravity Flow Shelving**



### **GFM and GFS Standard Package includes:**

- 1 Shelf
- 5 Adjustable Lane Dividers
- 1 Plastic Glide per Shelf
- Adjustable Front Product Stop

### **Optional:**

- PVC Smooth Rollers for Cases and Cartons
- Grooved Rollers for High Tech Automatic Merchandising
- Floor Guard
- Milk Product Stop

## Model 2103 Series Pass-Thru Cooler Doors

**30" x 81"** (2' 7<sup>13</sup>/<sub>16</sub>" net opening, 808 x 2057mm)

**\$ 1919** per door

**36" x 81"** (3' 1<sup>3</sup>/<sub>8</sub>" net opening, 949 x 2057mm)

**\$ 2125** per door

*\*Net openings are for 1 set of 1 only.*

### Add-On Options

Door Lock (POM)

\$ 47.00 per lock

Full Length Handle

no charge

Light Assembly

\$ 72.00 per light

*120-V, 800ma, with 72" high-output lamp, shield, and pre-wired ballast. For 1 light only specify left or right side.*

Electronic Lighting System (ELS)

\$ 159.00 per door

*Upcharge is in addition to package price with lights.*

Roll-a-Way Beverage Unit

\$1640.00 each

### Model 2103 Finishes

Standard Border Colors are Black, White, Red, Grey, Yellow, Blue, or Green. Frames are available in Black or Satin Silver Anodized.

*Model 2103 doors are available with all glass, solid color glass, or 1/3 clear glass - 2/3 solid color glass.*

*\*All prices are subject to change without notice.*

## Anthony International Website



- Real time order status with shipment tracking information
- Current price lists – both products and parts
- Model comparisons
- Energy comparisons
- Current descriptions of all door models and shelving systems
- Upcoming events
- Sales contact information
- Online field service request

*Look for continual web developments such as online quotations, installation instructions, and video demonstrations- all coming soon!*

**[www.anthonydoors.com](http://www.anthonydoors.com)**

## Model 210X Series Net Openings

doors	24" wide*	mm	26" wide*	mm	28" wide*	mm	30" wide*	mm
1	2' 1 <sup>1</sup> / <sub>8</sub> "	638	2' 4 <sup>5</sup> / <sub>16</sub> "	719	2' 6 <sup>5</sup> / <sub>16</sub> "	770	2' 7 <sup>13</sup> / <sub>16</sub> "	808
2	4' 7 <sup>7</sup> / <sub>8</sub> "	1241	4' 7 <sup>1</sup> / <sub>4</sub> "	1403	4' 11 <sup>1</sup> / <sub>4</sub> "	1505	5' 2 <sup>1</sup> / <sub>4</sub> "	1581
3	6' 5 <sup>5</sup> / <sub>8</sub> "	1846	6' 10 <sup>3</sup> / <sub>16</sub> "	2088	7' 4 <sup>3</sup> / <sub>16</sub> "	2240	7' 8 <sup>11</sup> / <sub>16</sub> "	2354
4	8' 3 <sup>3</sup> / <sub>8</sub> "	2448	9' 1 <sup>1</sup> / <sub>8</sub> "	2772	9' 9 <sup>1</sup> / <sub>8</sub> "	2975	10' 3 <sup>1</sup> / <sub>8</sub> "	3127
5	10' 1 <sup>1</sup> / <sub>8</sub> "	3051	11' 4 <sup>1</sup> / <sub>16</sub> "	3456	12' 2 <sup>1</sup> / <sub>16</sub> "	3710	12' 9 <sup>9</sup> / <sub>16</sub> "	3901
6	12' 1"	3683	13' 8 <sup>1</sup> / <sub>8</sub> "	4169	14' 8 <sup>1</sup> / <sub>8</sub> "	4474	15' 5 <sup>1</sup> / <sub>8</sub> "	4702
7	14' 3 <sup>3</sup> / <sub>4</sub> "	4286	15' 11 <sup>1</sup> / <sub>16</sub> "	4853	17' 1 <sup>1</sup> / <sub>16</sub> "	5209	17' 11 <sup>9</sup> / <sub>16</sub> "	5475
8	16' 1 <sup>1</sup> / <sub>2</sub> "	4890	18' 2"	5537	19' 6"	5944	20' 6"	6248
9	18' 1 <sup>1</sup> / <sub>4</sub> "	5493	20' 4 <sup>15</sup> / <sub>16</sub> "	6221	21' 10 <sup>15</sup> / <sub>16</sub> "	6679	23' 7 <sup>7</sup> / <sub>16</sub> "	7022
10	20'	6096	22' 7 <sup>7</sup> / <sub>8</sub> "	6906	24' 3 <sup>7</sup> / <sub>8</sub> "	7414	25' 6 <sup>7</sup> / <sub>8</sub> "	7795
11	22' 7 <sup>7</sup> / <sub>8</sub> "	6728	24' 11 <sup>15</sup> / <sub>16</sub> "	7618	26' 9 <sup>15</sup> / <sub>16</sub> "	8177	28' 2 <sup>7</sup> / <sub>16</sub> "	8596
12	24' 5 <sup>5</sup> / <sub>8</sub> "	7331	27' 2 <sup>7</sup> / <sub>8</sub> "	8303	29' 2 <sup>7</sup> / <sub>8</sub> "	8912	30' 8 <sup>7</sup> / <sub>8</sub> "	9369
13	26' 3 <sup>3</sup> / <sub>8</sub> "	7934	29' 5 <sup>13</sup> / <sub>16</sub> "	8987	31' 7 <sup>13</sup> / <sub>16</sub> "	9647	33' 3 <sup>5</sup> / <sub>16</sub> "	10143
14	28' 1 <sup>1</sup> / <sub>8</sub> "	8538	31' 8 <sup>3</sup> / <sub>4</sub> "	9671	34' 3 <sup>3</sup> / <sub>4</sub> "	10382	35' 9 <sup>3</sup> / <sub>4</sub> "	10916
15	29' 11 <sup>7</sup> / <sub>8</sub> "	9141	33' 11 <sup>11</sup> / <sub>16</sub> "	10355	36' 5 <sup>11</sup> / <sub>16</sub> "	11117	38' 4 <sup>3</sup> / <sub>16</sub> "	11689
16	32' 3 <sup>3</sup> / <sub>4</sub> "	9773	36' 3 <sup>3</sup> / <sub>4</sub> "	11068	38' 11 <sup>3</sup> / <sub>4</sub> "	11881	40' 11 <sup>3</sup> / <sub>4</sub> "	12490
17	34' 1 <sup>1</sup> / <sub>2</sub> "	10376	38' 6 <sup>11</sup> / <sub>16</sub> "	11752	41' 4 <sup>11</sup> / <sub>16</sub> "	12616	43' 6 <sup>3</sup> / <sub>16</sub> "	13264
18	36' 1 <sup>1</sup> / <sub>4</sub> "	10979	40' 9 <sup>5</sup> / <sub>8</sub> "	12437	43' 9 <sup>5</sup> / <sub>8</sub> "	13343	46' 5 <sup>5</sup> / <sub>8</sub> "	14037
19	38'	11582	43' 9 <sup>9</sup> / <sub>16</sub> "	13121	46' 2 <sup>9</sup> / <sub>16</sub> "	14086	48' 7 <sup>1</sup> / <sub>16</sub> "	14810
20	39' 11 <sup>3</sup> / <sub>4</sub> "	12186	45' 3 <sup>1</sup> / <sub>2</sub> "	13805	48' 7 <sup>1</sup> / <sub>2</sub> "	14821	51' 1 <sup>1</sup> / <sub>2</sub> "	15583

Actual 210X net opening heights are 67", 75", and 79".

\*Actual 210X net door widths are 23<sup>3</sup>/<sub>16</sub>", 26<sup>3</sup>/<sub>8</sub>", 28<sup>3</sup>/<sub>8</sub>", and 29<sup>7</sup>/<sub>8</sub>".

Actual 210X net door heights are 65<sup>1</sup>/<sub>16</sub>", 73<sup>1</sup>/<sub>16</sub>", and 77<sup>1</sup>/<sub>16</sub>".

## Model 210X Estimated Shipping Weights (per door opening)

	24x67	24x75	26x67	26x75	28x75	28x79	30x67	30x75	30x79
<b>3-Pane</b>	185	195	190	200	219	235	210	245	260

\*The above weights (in pounds) are estimates only. They are on a per opening basis which includes doors, frames, shelves, and shelving hardware. If you need to estimate weights in kilograms, divide the weight in pounds by 2.2046.

Anthony products are covered by one or more of the following United States Patents: RE35,120; 4,905,347; 5,309,066; 5,315,211; 5,284,371; 5,605,237; 4,671,582; 4,696,078; 4,760,621; 5,002,320; RE35,149; 5,251,402; 5,297,863; 5,299,437; D332,564; RE35,392; 5,301,092; 5,363,611; 5,544,454; 5,720,540; 5,879,070; 5,895,111; 5,910,083; 6,029,411; 6,031,338; 5,902,034; 5,959,816; 6,010,227; 6,122,869; 6,222,322; 6,260,255; 6,298,615; 6,302,036; 6,302,557; 6,318,027; 6,325,523; 6,367,223; 6,389,993; 6,490,983; 6,343,405; 2,987,782; 3,131,421; 3,295,634; 3,345,606; 3,399,784; 3,449,551; 3,475,594; 3,499,245; 3,508,361; 3,526,753; 3,629,972; 3,673,735; 3,696,360; 3,697,723; 3,837,119; 4,145,844; 4,261,179; 4,416,086; 4,428,096; 4,430,770; 4,641,461; 4,656,781; 4,691,486; 4,741,127; 4,753,043; 4,831,780; 4,852,303; 4,941,289; 4,998,382; 5,016,146; 5,024,023; 5,035,085; 5,116,274; 5,207,490; 5,214,877; 5,244,273; 5,255,473; 5,333,355; 5,111,618; 5,471,372; 5,622,414; 5,645,330; 4,004,370; 4,035,608; 4,080,756; 4,087,139; 4,127,188; 4,127,765; 4,221,443; 4,248,015; 4,260,876; 4,265,069; 4,306,140; 4,382,177; 4,477,129; 5,097,642; 5,113,628; 5,116,274; 5,207,490; 5,622,414; 4,691,486. Corresponding Foreign Patents Issued. Other United States and Foreign Patents Pending.

### ANTHONY INTERNATIONAL

(818) 365-9451   (800) 772-0900   [Canada (800) 336-8825]   Fax (818) 361-9611  
 12812 Arroyo Street, San Fernando, CA 91342-5301   www.anthonydoors.com